

# J-512 Sanitizer

Version Number: 2 Preparation date: 2015-02-20

#### 1. IDENTIFICATION

Product name:

J-512 Sanitizer

**Product Code:** 

SDS #:

03920, 5753407, 5756018, 5756026, 5756034, 5963480

MS0800569

Recommended use:

· Industrial/Institutional

Sanitizer

Uses advised against:

· This product is intended to be diluted prior to use

Uses other than those identified are not recommended

Canadian Headquarters Sealed Air - Canada

Mississauga, Ontario L5L 0B3 Phone: 1-800-668-7171

3755 Laird Road

Manufacturer, importer, supplier:

Emergency telephone number:

**US Headquarters** Sealed Air

8215 Forest Point Blvd. Charlotte, NC 28273-5509

Phone: 1-888-352-2249

SDS Internet Address: https://sds.sealedair.com

1-800-851-7145; 1-651-917-6133 (Int'I)

#### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion/irritation Serious eye damage/eye irritation Category 1B Category 1



Signal Word:

Danger.

#### **Precautionary Statements**

#### CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE.

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Do not breathe spray. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable



Classification for the diluted product @ 1:160

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### Precautionary Statements

None required.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
	CA3 #	vveignt %
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	68391-01-5	5 - 10%
dimethyl benzyl ammonium chloride		
Alkyl dimethyl ethyl benzyl ammonium chloride	85409-23-0	5 - 10%
Ethyl alcohol	64-17-5	1 - < 3%

<sup>\*</sup>Exact percentages are being withheld as trade secret information

## 4. FIRST AID MEASURES

#### **Undiluted Product:**

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

## **Diluted Product:**

Eyes: Rinse with plenty of water If irritation occurs and persists, get medical attention.

Skin: Rinse with plenty of water If irritation occurs and persists, get medical attention.

Inhalation: No specific first aid measures are required

Ingestion: Rinse mouth with water.

# 5. FIRE-FIGHTING MEASURES

Specific methods:

No special methods required

Suitable extinguishing media:

Not applicable.

Specific hazards:

Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: **Environmental precautions** and clean-up methods:

Attention! Corrosive material. Put on appropriate personal protective equipment (see Section 8.). Clean-up methods - large spillage. Material is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with an NPDES permit. Water runoff can cause environmental damage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

# 7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation.

J-512 Sanitizer 2 of 5 Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Keep away from open flames, hot surfaces and sources of ignition. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Protect from freezing. Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame.

Aerosol Level (if applicable): Not applicable

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	CAS#	ACGIH	OSHA
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	68391-01-5	-	-
dimethyl benzyl ammonium chloride			
Alkyl dimethyl ethyl benzyl ammonium chloride	85409-23-0	-	-
Ethyl alcohol	64-17-5	1000 ppm (STEL)	1000 ppm (TWA)
			1900 mg/m³ (TWA)

#### **Undiluted Product:**

Engineering measures to reduce exposure:

None known

Personal Protective Equipment

Eye protection: Chemical-splash goggles. Hand protection: Chemical-resistant gloves.

**Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear. **Respiratory protection:** In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

## **Diluted Product:**

Personal Protective Equipment

Eye protection:

Hand protection:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Skin and body protection:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Clear Red Evaporation Rate: No information available Odor: Quaternary

Odor threshold:No information available.Boiling point/range:Not determinedMelting point/range:Not determinedDecomposition temperature:Not determined

Autoignition temperature: No information available

Solubility: Completely Soluble

Solubility in other solvents: No information available

Density: 8.28 lbs/gal 0.993 Kg/L

Bulk density: No information available

Relative Density (relative to water): 0.993

Vapor density: No information available

Vapor pressure: No information available.

Flash point (°F): > 200 °F > 93.3 °C Partition coefficient (n-octanol/water): No information available

Dilution Flash Point: > 200 °F > 93.3 °C Viscosity: No information available

Elemental Phosphorus: 0.00 % by wt. VOC: 1.25 % \*

pH: 7 VOC % by wt. at use dilution 0.01 % \*
Dilution pH: 7 @ 1:160 Flammability (Solid or Gas): Not applicable

Metal Corrosion: Not determined Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

### 10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: The product is stable

Hazardous decomposition products: None reasonably foreseeable.

J-512 Sanitizer 3 of 5

Materials to avoid: Conditions to avoid: Oxidizing agents. Anionic surfactant. Do not mix with chlorinated products (such as bleach).

No information available

## TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

#### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed). Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE): None known

Carcinogen Listings: Ethyl alcohol is only classified as an IARC 1 carcinogen when it is meant for ingestion in alcoholic beverages. We do not produce alcoholic beverages; therefore it is not considered a carcinogen in our products.

Ingredient(s)	CAS#	NTP	IARC	OSHA
Ethyl alcohol	64-17-5		-	

#### Numerical measures of toxicity

ATE - Oral (mg/kg):

3800

ATE - Dermal (mg/kg):

>5000

#### 12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

## **DISPOSAL CONSIDERATIONS**

Do not contaminate water, food, or feed by storage or disposal.

#### Waste from residues / unused products (undiluted product):

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste reporesentative at the nearest EPA Regional Office for guidance. Material is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with an NPDES permit. This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

# Pesticide Storage:

Store in original container in areas inaccessible to children. Open dumping is prohibited. Do not reuse empty container.

#### Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law.

## **Container Disposal:**

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by State and local authorities burn. If burned, stay out of smoke.

## 14. TRANSPORT INFORMATION

4 of 5

**DOT/TDG/IMDG:** Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library,

J-512 Sanitizer

http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (quaternary ammonium compounds), 8, III

IMDG (Ocean) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (quaternary ammonium compounds), 8, III, MARINE POLLUTANT

# 15. REGULATORY INFORMATION

#### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA).

#### U.S. Regulations

EPA Reg. No.: 70627-63

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

DANGER: CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective (rubber or chemical resistant) gloves and protective clothing. Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

#### CERCLA/ SARA

#### SARA 311/312 Hazard Categories

Immediate: X
Delayed: Fire: Reactivity: Sudden Release of Pressure: -

# 16. OTHER INFORMATION

## NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0

Version Number: 2

Preparation date: 2015-02-20

Reason for revision: Prepared by: Not applicable NAPRAC

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

J-512 Sanitizer 5 of 5



# SAFETY DATA SHEET



# 1. Product and Company Identification

**Product identifier** Super Sani-Cloth Germicidal Wipe SDS 0020-00

Other means of identification Not available Disinfectant Recommended use

Recommended restrictions For Professional and Hospital Use

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Professional Disposables International, Inc. Company name

Two Nice-Pak Park Address

Orangeburg, NY 10962-1376

Telephone Phone (USA) 1-845-365-1700 (M-F 9am - 5pm)

Emergency Phone: 1-800-999-6423

E-mail www.pdihc.com

1-800-999-6423 **Emergency phone number** 

# 2. Hazards Identification

Physical hazards Flammable solids Category 1 Health hazards Serious eye damage/eye irritation Category 2A

**Environmental hazards** Not determined **OSHA** defined hazards None additional

Not applicable. Label elements



Signal word Danger

Hazard statement Flammable solid.

Causes serious eye irritation.

**Precautionary statement** 

Prevention Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for 15 - 20 minutes. Remove contact lenses, if present and Response

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

In case of fire: Use appropriate media to extinguish.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

# 3. Composition/Information on Ingredients

ixtures			
Chemical name	Common name and synonyms	CAS number	%
Isopropyl Alcohol		67-63-0	55
n-Alkyl (60% C14, 32% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides		68391-01-5	0.25
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides		68956-79-6	0.25

Not a normal route of exposure. If inhaled, remove to fresh air. Get medical attention if symptoms develop.  Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.  Not a likely route of exposure. If ingestion does occur, call a poison control center or doctor for treatment advice.  Symptoms may include stinging, tearing, redness, swelling, and blurred vision.  Treat patient symptomatically.  Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid contact with eyes.  5. Fire Fighting Measures  Water. Water fog. Dry chemical powder. Carbon dioxide (CO2).  None known.  During fire, gases hazardous to health may be formed.
Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.  Not a likely route of exposure. If ingestion does occur, call a poison control center or doctor for treatment advice.  Symptoms may include stinging, tearing, redness, swelling, and blurred vision.  Treat patient symptomatically.  Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid contact with eyes.  5. Fire Fighting Measures  Water. Water fog. Dry chemical powder. Carbon dioxide (CO2).  None known.
present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.  Not a likely route of exposure. If ingestion does occur, call a poison control center or doctor for treatment advice.  Symptoms may include stinging, tearing, redness, swelling, and blurred vision.  Treat patient symptomatically.  Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid contact with eyes.  5. Fire Fighting Measures  Water. Water fog. Dry chemical powder. Carbon dioxide (CO2).  None known.
treatment advice.  Symptoms may include stinging, tearing, redness, swelling, and blurred vision.  Treat patient symptomatically.  Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid contact with eyes.  5. Fire Fighting Measures  Water. Water fog. Dry chemical powder. Carbon dioxide (CO2).  None known.
Treat patient symptomatically.  Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid contact with eyes.  5. Fire Fighting Measures  Water. Water fog. Dry chemical powder. Carbon dioxide (CO2).  None known.
Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid contact with eyes.  5. Fire Fighting Measures  Water. Water fog. Dry chemical powder. Carbon dioxide (CO2).  None known.
5. Fire Fighting Measures  Water. Water fog. Dry chemical powder. Carbon dioxide (CO2). None known.
Water. Water fog. Dry chemical powder. Carbon dioxide (CO2).  None known.
None known.
None known.
During fire, gases hazardous to health may be formed.
Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.
In case of fire and/or explosion do not breathe fumes. In the event of fire, cool product with water spray. Move product from fire area if you can do so without risk.
Use standard firefighting procedures and consider the hazards of other involved materials. Move products from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.
Flammable solid.
6. Accidental Release Measures
Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.
Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Pick up and discard towelette. For waste disposal, see section 13 of the SDS.
Avoid discharge into drains, water courses or onto the ground.
7. Handling and Storage
Not a skin wipe. For use on hard non-porous surfaces only.  Do not use or store near heat or open flame.  Use according to package label instructions.  Use good industrial hygiene practices in handling this product.  Wear appropriate personal protective equipment.  Wash thoroughly after handling.  When using do not eat or drink.
Do not contaminate water, food or feed by storage or disposal. When not in use keep container closed to prevent moisture loss.
Store away from incompatible materials (see Section 10 of the SDS).
8. Exposure Controls/Personal Protection
or Air Contaminants (29 CFR 1910.1000)  Type Value
PEL 980 mg/m3
. Le Journal Market

<b>US. ACGIH Threshold Limit Valu</b>	ies		
Components	Туре	Value	
Isopropyl Alcohol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	
Isopropyl Alcohol (CAS 67-63-0)	STEL	1225 mg/m3	
<b>,</b>		500 ppm	
	TWA	980 mg/m3	
		400 ppm	

#### **Biological limit values**

**ACGIH Biological Exposure Indices** 

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl Alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

<sup>\* -</sup> For sampling details, please see the source document.

**Exposure guidelines** Chemicals listed in section 3 that are not listed here do not have established limit values for

ACGIH or OSHA PEL.

Appropriate engineering controls

Provide eyewash station. Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection as appropriate.

Skin protection

Hand protection Wear disposable protective gloves as appropriate.

Other As required by employer code.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using do not eat or drink. When using do not

smoke.

# 9. Physical and Chemical Properties

**Appearance** Liquid saturated on wipe

Solid. Physical state **Form** Solid.

Color Colorless to Slightly yellow

Odor Alcohol **Odor threshold** Not available. 5.75 - 8.50 Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Pour point Specific gravity

Partition coefficient

0.892

Not available.

(n-octanol/water) Flash point

75.0 °F (23.9 °C) (Liquid)

Not available. **Evaporation rate** Flammability (solid, gas) Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%)

Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Not available. Relative density Solubility(ies) Not available. Not available. Auto-ignition temperature **Decomposition temperature** Not available. Not available. Viscosity

10. Stability and Reactivity

Do not use on natural marble, windows, unpainted wood or brass, clear plastic or colored grout. Reactivity

This product may react with strong acids and strong oxidizing agents.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Material is stable under normal conditions. Conditions to avoid Contact with incompatible materials.

Heat, flames and sparks.

Incompatible materials Strong oxidizing agents. Acids. Isocyanates. Chlorine.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Ammonia. Chloride compounds

# 11. Toxicological Information

#### Information on likely routes of exposure

Ingestion Harmful if swallowed.

Inhalation Health injuries are not known or expected under normal use.

Skin contact Non-irritating based on test data. Eve contact Causes serious eye irritation.

Symptoms related to the physical, chemical and

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

toxicological characteristics Information on toxicological effects

**Acute toxicity** 

Components	Species	Test Results
Isopropyl Alcohol (CAS 67-63-0)  Acute		
Dermal		
LD50	Rabbit	12800 mg/kg
Inhalation		
LC50	Rat	16970 mg/l/4h
Oral		
LD50	Dog	4797 mg/kg
	Mouse	3600 mg/kg
	Rabbit	5030 mg/kg
	Rat	4396 mg/kg
n-Alkyl (60% C14, 32% C16, 5% C	12, 5% C18) dimethyl benzyl ammonium chlorides (	CAS 68391-01-5)
Acute		
Dermal		
LD50	Rat	2000 mg/kg
		1420 mg/kg
Inhalation		
LC50	Not available	
Oral		
LD50	Mouse	150 mg/kg
	Rat	240 mg/kg

Components Species Test Results

n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides (CAS 68956-79-6)

Acute Dermal

LD50 Not available

Inhalation

LC50 Not available

Oral

LD50 Rat

Skin corrosion/irritation Non-irritating based on test data.

Exposure minutes Not available.

Erythema value Not available.

Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye irritation based on test results.

250 mg/kg

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.
Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not applicable.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Narcotic effects.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Chronic effects Prolonged inhalation may be harmful.

Further information Not available.

12.	Ecol	ogical	Inforn	nation

Ecotoxici	ty	See belov	v		
Comp	oonents		Species	Test Results	
Isopro	opyl Alcohol (CAS	67-63-0)			
Α	lgae	IC50	Algae	1000 mg/L, 72 Hours	
	rustacea	EC50	Daphnia	13299 mg/L, 48 Hours	
A	quatic				
F	ish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours	

0.05

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

Isopropyl Alcohol

Mobility in soil

No data available.

Mobility in general Not available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal Considerations

Disposal instructions Follow container label directions carefully. Do not reuse towelette. Dispose of used towelette in

trash. Do not flush in toilet. Nonrefillable container. Do not resue or refill this container. Triple

rinse and offer for recycling. If recycling is not available, put in trash collection.

Review federal, state/provincial, and local government requirements prior to disposal.

Dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used

container.

Local disposal regulations

Hazardous waste code

See above Assign as required.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

UN3175

## 14. Transport Information

#### U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number

Proper shipping name


Solids containing flammable liquid, n.o.s. (Isopropyl Alcohol)

Hazard class
Packing group

Packaging exceptions

<1kg - limited quantity (par. 173.151)

#### DOT



# 15. Regulatory Information

## **US federal regulations**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

# PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals. Warning: Causes substantial but temporary eye damage. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using restroom. Remove and wash contaminated clothing before reuse.

EPA Reg. # 9480-4

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Isopropyl Alcohol (CAS 67-63-0)

Listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No **SARA 302 Extremely** hazardous substance No

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Isopropyl Alcohol	67-63-0	55	

## Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

Food and Drug

Not regulated.

Administration (FDA)

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## US - California Hazardous Substances (Director's): Listed substance

Isopropyl Alcohol (CAS 67-63-0)

Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

# US - Illinois Chemical Safety Act: Listed substance

Isopropyl Alcohol (CAS 67-63-0)

Listed.

US - Louisiana Spill Reporting: Listed substance

Isopropyl Alcohol (CAS 67-63-0)

Listed.

US - Minnesota Haz Subs: Listed substance

Isopropyl Alcohol (CAS 67-63-0)

Listed.

Listed.

US - New Jersey RTK - Substances: Listed substance

Isopropyl Alcohol (CAS 67-63-0)

US - Texas Effects Screening Levels: Listed substance

Isopropyl Alcohol (CAS 67-63-0) Listed. n-Alkyl (60% C14, 32% C16, 5% C12, 5% C18) Listed dimethyl benzyl ammonium chlorides (CAS

68391-01-5)

US. Massachusetts RTK - Substance List

Isopropyl Alcohol (CAS 67-63-0) Listed.

US. Pennsylvania RTK - Hazardous Substances

Isopropyl Alcohol (CAS 67-63-0) Listed.

US. Rhode Island RTK

Isopropyl Alcohol (CAS 67-63-0) Listed.

Country(s) or region

Inventory name

On inventory (yes/no)\*

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory


Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

#### 16. Other Information







#### Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

#### Issue date

27-March-2015

#### **Further information**

For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the first page of the document.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on skin. Not a baby wipe. For use on hard surfaces only.

Do not use on natural marble, windows, unpainted wood, brass, clear plastic or coloured grout.

Revision 1. Changed eye toxicity categorization to Category 2A and revised transportation section. Also changed bulk liquid number and made other miscellaneous changes.

Based on bulk liquid # 4FQ51801.

#### Other information

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

## Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021